

- · Product identifier
- · Trade name Sunoco Cal-Tack WR2
- · Product Code: 9963
- · Details of the supplier of the safety data sheet
- · Manufacturer:

SUNOCO LUBRICANTS

420 Imperial Court

Bensalem, PA 19020

USA

technical@sunocolubes.com

- · Information department: Technical Department
- · Emergency telephone number: CHEMTREC 800.424.9300

## 2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 1Reactivity = 0

· HMIS-ratings (scale 0 - 4)



0 Health = 0Fire = 1

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

68584-23-6 C10-C16 alkylbenzenesulfonic acid calcium salt

1-5%

### 4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.

(Contd. on page 2)



## Sunoco Cal-Tack WR2

(Contd. of page 1)

- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

## 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

| · PAC-1: |                                 |                        |
|----------|---------------------------------|------------------------|
| 471-34-1 | calcium carbonate, precipitated | $45 \text{ mg/m}^3$    |
| 62-54-4  | calcium di(acetate)             | 13 mg/m³               |
| 57-55-6  | propylene glycol                | $30 \text{ mg/m}^3$    |
| · PAC-2: |                                 |                        |
| 471-34-1 | calcium carbonate, precipitated | 210 mg/m³              |
| 62-54-4  | calcium di(acetate)             | $140 \text{ mg/m}^3$   |
| 57-55-6  | propylene glycol                | $1,300 \text{ mg/m}^3$ |
| · PAC-3: |                                 |                        |
| 471-34-1 | calcium carbonate, precipitated | $1,300 \text{ mg/m}^3$ |
| 62-54-4  | calcium di(acetate)             | 850 mg/m³              |
| 57-55-6  | propylene glycol                | $7,900 \text{ mg/m}^3$ |

## 7 Handling and storage

- · Handling:
- · **Precautions for safe handling** No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 3)



## Sunoco Cal-Tack WR2

(Contd. of page 2)

- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

| 9 Physical | and | ch | emi | cal | pro | perties |
|------------|-----|----|-----|-----|-----|---------|
| •          |     |    |     |     | 4 4 |         |

| · Information on basic physical and chemical properties<br>· General Information      |   |  |  |
|---|---|--|--|
| · Appearance:   |   |  |  |
| Form:   | Semi-Solid                                    |  |  |
| Color:  | Light brown                                   |  |  |
| · Odor:   | Petroleum-like                                |  |  |
| · Odor threshold:   | Not determined.                               |  |  |
| · pH-value:   | Not determined.                               |  |  |
| · Change in condition<br>Melting point/Melting range:<br>Boiling point/Boiling range: | Undetermined.<br>370-595 °C (698-1,103 °F)    |  |  |
| · Flash point:  | 160 °C (320 °F)                               |  |  |
| · Flammability (solid, gaseous):  | Not applicable.                               |  |  |
| · Ignition temperature:   | >315 °C (>599 °F)                             |  |  |
| · Decomposition temperature:  | Not determined.                               |  |  |
| · Auto igniting:  | Product is not selfigniting.                  |  |  |
| · Danger of explosion:  | Product does not present an explosion hazard. |  |  |

(Contd. on page 4)



## Sunoco Cal-Tack WR2

|                                       | (Contd. of pag                    |
|---------------------------------------|-----------------------------------|
| Explosion limits:                     |                                   |
| Lower:                                | Not determined.                   |
| Upper:                                | Not determined.                   |
| Vapor pressure at 20 °C (68 °F):      | 0 hPa                             |
| Density at 20 °C (68 °F):             | 1.23551 g/cm³ (10.31033 lbs/gal)  |
| Relative density                      | Not determined.                   |
| Vapor density                         | Not determined.                   |
| Evaporation rate                      | Not determined.                   |
| Solubility in / Miscibility with      |                                   |
| Water:                                | Not miscible or difficult to mix. |
| Partition coefficient (n-octanol/wate | er): Not determined.              |
| Viscosity:                            |                                   |
| Dynamic:                              | Not determined.                   |
| Kinematic at 40 °C (104 °F):          | $220  mm^2/s$                     |
| Solvent content:                      |                                   |
| Organic solvents:                     | 0.5 %                             |
| VOC content:                          | 0.50 %                            |
|                                       | 6.2 g/l / 0.05 lb/gal             |
|                                       | 39.7 %                            |
| Solids content:                       | 39./ 70                           |

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

| · LD/LC50 values that are relevant for | classification: |
|--|-----------------|
|--|-----------------|

Sulfonic Acids, petroleum, calcium salts

 Oral
 LD50
 >5,000 mg/kg (rat)

 Dermal
 LD50
 >2,000 mg/kg (rabbit)

- Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 5)



### Sunoco Cal-Tack WR2

(Contd. of page 4)

· Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · OSHA-Ca (Occupational Safety & Health Administration): (Substances not listed)

None of the ingredients is listed.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity:

### Sulfonic Acids, petroleum, calcium salts

EC50 >1,000 mg/L (Scenedesmus subspicatus (Alga))

>1,000 mg/L (bacteria)

>1,000 mg/L (daphnia)

>1,000 mg/L (Fish)

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- **Recommendation:** Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

#### 14 Transport information

- · UN-Number
- · DOT, ADN, IMDG, IATA not regulated
- · UN proper shipping name
- · DOT, ADN, IMDG, IATA not regulated

(Contd. on page 6)

-US



### Sunoco Cal-Tack WR2

(Contd. of page 5)

| • | <b>Transport</b> | hazard | class( | es) |
|---|------------------|--------|--------|-----|
|---|------------------|--------|--------|-----|

· DOT, ADN, IMDG, IATA

not regulated · Class

· Packing group

· DOT. IMDG. IATA not regulated

Environmental hazards:

· Marine pollutant: No

· Special precautions for user Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation": not regulated

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

68584-23-6 C10-C16 alkylbenzenesulfonic acid calcium salt

ACTIVE 1-5%

· Hazardous Air Pollutants

None of the ingredients is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · **GHS label elements** Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void

(Contd. on page 7)



## Sunoco Cal-Tack WR2

(Contd. of page 6)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Date of preparation / last revision 03/21/2022 / 2
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

\* \* Data compared to the previous version altered.

HS